



Mercruiser Alpha One Sterndrive

POA

Specifications

Boat Details

Price Model Year Hull Style Power Type Condition Suburb

- POA Alpha One (Sterndrive) 2016 Other Engine/Motor New MIDVALE
- Boat Brand Length Category Hull Type Stock Number State Engine Make
- Mercruiser 0.00 Boat Engines and Outboards Other 0 Western Australia Mercruiser

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Description

Mercruiser Alpha One Sterndrive - For more than 45 years the word "MerCruiser" has meant sterndrive performance. Choose from more than 20 unique drive systems such as our Alpha One, the most popular sterndrive in the world, or our brawny Bravo Series drives. MerCruiser has the perfect drive system for you and your boat. Maximum Power Capacity300 HP (230 kW) Lower Unit DesignLow-Drag Hydrodynamic Torpedo Maximum Propeller Diameter15" Water Inlet LocationStrut Clutch TypeCompact Dog Clutch with F-N-R Available Gear Ratios1.47, 1.62, 1.81, 2.00, 2.40:1 Counter-RotationOptional, Except 2.40:1 Ratio Upper Unit Gear SetPrecision Shimmed, Spiral Bevel Gear Lower Unit Gear SetPrecision Shimmed, Spiral Bevel Gear Propshaft MaterialHeat-Treated Stainless Steel Standard Exhaust OutletThrough Propeller Propeller Hub TypeFlo-Torg II Hub Recommended LubricantMercury High-Performance Gear Lube Monitoring SystemEngine-Mounted Lube Monitor w/Audio Warning or Engine Guardian® Corrosion Warranty3-Year, Limited Housing ConstructionCorrosion Resistant XK 360 Aluminum Low-Copper Alloy Corrosion ProtectionTri-Paint, Anodes & MerCathode® as a Kit Anode TypeUltra-Pure Aluminum Anodes or Magnesium Anode Kit Speedometer Pick-upIntegrated Into Lower Housing Steering SystemSingle Cylinder Power Steering with Anti-Feedback Steering Range56° Range Stop to Stop U-Joint TypePermalube® Virtually Maintenance-Free Power Trim SystemTwin-Cylinder Hydraulic Featuring Power Trim XD® Kick-up Return Typical Trim Range5° to 15° Trim Limit SwitchStandard - Adjustable Trailer Limit53° Trim Hinge Pin DesignPermanently Lubricated - No Maintenance Required Hydraulic Trim LinesStainless Steel Braided Armor Drive CouplerGreaseable From Inside Boat Drive Weight85 lbs. (38 kg)

Horse Power (hp)	300	
Engine Details Engine Make	Mercruiser	

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 08 9250 3339 Email: info@aquasportsmarine.com.au Website: 189 Bannister Road Canning Vale WA 6155

Horse Power

431

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.