



Phone: 08 9250 3339
Email: info@aquasportsmarine.com.au
Website:

Boat Details

| | | | |
|------------|--------------|--------------|----------------------------|
| Price | POA | Boat Brand | Yamaha |
| Model | F175 | Length | 0.00 |
| Year | 2024 | Category | Boat Engines and Outboards |
| Hull Style | | Hull Type | |
| Power Type | Power | Stock Number | F175LCA |
| Condition | New | State | Western Australia |
| Suburb | CANNING VALE | Engine Make | |

Description

Yamaha’s popular and proven range of F175 Digital and Mechanical Control outboards now feature a newly designed look and integrated steering, taking these engines to the next level when it comes to power, reliability and control.

The Integrated Hydraulic Steering system is housed in a neat, sealed cylinder unit, which is built into the transom bracket of the engine, rather than being a third-party bolt-on component. This results in a simple and clean rigging set-up, and an uncluttered bilge and transom area, while exposing less components to the elements for improved long-term durability and reliability.

This new range of four-cylinder integrated steering models are ideal for all applications, including new boat packages, existing boat repowers and multi engine set-ups.

The modernised F175 outboards bring a new level of delight to boating.

| | |
|--|---|
| MODELSF175CBF175B | |
| Control System | Digital Electronic Control (DEC) Mechanical Control (MEC) |
| Steering System | Integrated Hydraulic Steering (IHS) Integrated Hydraulic Steering (IHS) |
| Transom Height (Shaft Length) mm [inch] | X: 642 [25.3] L: 516 [20.4] X: 642 [25.3] |
| table { font-family: Roboto, helvetica; border-collapse: collapse; width: 100%; } td, th { border: 1px solid #dddddd; text-align: left; padding: 8px; } tr:nth-child(odd) { background-color: #dddddd; } Technical Specification | |
| Height(L): 516 [20.4] (X): 642 [25.3] | |
| Weight | F175XCB: 235 F175LB: 233 F175XB: 234 |
| Engine | 4-Stroke, 16 Valve DOHC Direct Action In-Line 4 |
| Displacement | 2785.0 |
| Bore | 96 x 96.2 |
| Max RPM | 5000-6000 |
| Lubrication | Wet-sump |
| Fuel | EFI |
| Ignition | TCI |
| Starter | Electric |
| Alternator | 12V - 50A with rectifier regulator |
| Operation | F175CB: DEC/IHS F175B: MEC/IHS |
| Tilt | F175CB: TotalTilt™ with Limiter F175B: Tilt Limiter |
| Gauges | Optional |
| Network Gauges | Optional |
| Gear Ratio | 1.86 : 1 |
| Steering | Built-in Electric Assisted Hydraulic or Built-in Hydraulic |

Engine Details

| | |
|-------------|-----|
| Horse Power | 175 |
|-------------|-----|