



MerCruiser Bravo Three Sterndrive

POA

Specifications

Boat Details

Price	POA	Boat Brand	MerCruiser
Model	Bravo Three (Sterndrive)	Length	0.00
Year	2016	Category	Boat Engines and Outboards
Hull Style	Other	Hull Type	Other
Power Type	Engine/Motor	Stock Number	0
Condition	New	State	Western Australia
Suburb	MIDVALE	Engine Make	MerCruiser

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 08 9250 3339

Email: info@aquasportsmarine.com.au

Website:

189 Bannister Road Canning Vale WA 6155

Description

MerCruiser Bravo Three Sterndrive - Efficient, easy to manoeuvre and an exciting performer, Bravo Three drives represent the complete package. * Single or twin installation for engines up to 525hp * Counter-rotating propellers provide agile handling. * Ultra-pure aluminium anodes and Mercury-exclusive MerCathode help prevent galvanic corrosion. *Excellent reverse handling and smooth, best-in-class shifting.

Maximum Power Capacity400 HP (295 kW)

Lower Unit DesignExtended Length Strut

Maximum Propeller Diameter2 X 16"

Water Inlet LocationStrut

Clutch TypeHigh-Strength Smooth-Shift Cone Clutch with F-N-R

Available Gear Ratios1.81, 2.00, 2.20, 2.43:1

Counter-RotationTwin Prop

Upper Unit Gear SetPrecision Shimmed Assembly with Near-Net Forged Helical Gears

Lower Unit Gear SetPrecision Shimmed Assembly Forged Bevel Gears with Twin Counter Rotating Propshafts for Bravo Three

Propshaft MaterialHeat-Treated Stainless Steel

Standard Exhaust OutletThrough Propeller

Required Propeller HubNone for Bravo Three

Recommended LubricantMercury High-Performance Gear Lube

Monitoring SystemEngine-Mounted Lube Monitor w/Audio Warning or Engine Guardian®

Corrosion Warranty3-Year, Limited

Housing ConstructionCorrosion Resistant XK 360 Aluminum Low-Copper Alloy

Corrosion ProtectionTri-Paint, Anodes & MerCathode® Electronic Corrosion Prevention

Anode TypeUltra-Pure Aluminum Anodes or Magnesium Anode Kit

Speedometer Pick-upIntegrated Into Lower Housing, Digital Output Optional

Steering SystemSingle Cylinder Power Steering with Anti-Feedback

Steering Range56° Range Stop to Stop, Digital Output Optional

U-Joint TypePermalube® Virtually Maintenance-Free

Power Trim SystemTwin-Cylinder Hydraulic Featuring Power Trim XD® Kick-up Return

Typical Trim Range-2° to 14°

Trim Limit SwitchAdjustable Limit Analog or Digital - Engine Dependant

Trailer Limit51°

Trim Hinge Pin DesignPermanently Lubricated - No Maintenance Required

Hydraulic Trim LinesStainless Steel Braided Armor

Drive CouplerGreaseable From Inside Boat

Drive Weight148 lbs. (67 kg)

Features

Horse Power (hp)

400

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 08 9250 3339

Email: info@aquasportsmarine.com.au

Website:

189 Bannister Road Canning Vale WA 6155

Engine Details

Engine Make

Mercuriser

Horse Power

525

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.