



Email: info@aquasportsmarine.com.au

Website:

189 Bannister Road Canning Vale WA 6155



Mercury 75 HP Sea Pro Fourstroke POA

Specifications

Boat Details

Price POA **Boat Brand** Mercury 75 HP Sea Pro Fourstroke Model Length 0.00

Boat Engines and Outboards Year 2021 Category

Hull Style **Hull Type**

Stock Number


Power Type

Condition Western Australia New State

MIDVALE Suburb **Engine Make** Mercury

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.





Website

189 Bannister Road Canning Vale WA 6155



Description

Mercury Seapro 75HP Fourstroke - These commercial outboards are designed to work as hard as you do...engineered to be ultra tough working partners for anyone making their living on the water. Every SeaPro features unique components to cope with the additional demands of professional operation. Whatever your job there's a specific FourStroke of TwoStroke Mercury SeaPro model that's up to the task.

HP / kW

• 75 / 56

Engine type

- 8-valve single overhead cam (SOHC)
- Inline 4

Displacement (L)

• 2.1

Full throttle RPM

• 5000-5500

Air induction

• Performance-Tuned Scroll Intake Manifold

Fuel induction system

• Computer Controlled Multi-Port Electronic Fuel Injection (EFI)

Alternator amp / Watt

• 35 amp / 441 watt with water-cooled voltage regulator

Recommended fuel

• Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

Recommended oil

• NMMA Certified FCW 25W-40 Synthetic Blend

Engine protection operator warning system

• SmartCraft Engine Guardian

Compatible with SmartCraft digital technology

Yes

Starting


• Smart Start Electric

Controls

• Mechanical throttle & shift

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.





Email: info@aquasportsmarine.com.au

Website:

189 Bannister Road Canning Vale WA 6155

Steering

- Big Tiller
- Dual Cable Mechanical
- Hydraulic

Shaft length

• 20" / 508 mm

Gearcase ratio

• 2.38:1

Dry weight *Lightest model available

• 363 lbs / 165 kg

Bore and stroke

• 3.5 x 3.2" / 90 x 81 mm

Ignition

• SmartCraft ECM 70 Digital Inductive

Fuel system

• Electronic Fuel Injection (EFI)

Cooling system

• Water-cooled with thermostat

Gear shift

• F-N-R

Trim system

- Power Tilt
- Power Trim

Exhaust system

• Through prop

Shallow water trim range (degrees)

• 20

Color

• Phantom Black

Lubrication system

• Integrated Dry Sump

Oil Capacity

• 5.5 qts / 5.2l

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 08 9250 3339

Email: info@aquasportsmarine.com.au

Website:

189 Bannister Road Canning Vale WA 6155

Maximum Trim Range

• 22° (-6° to 16°)

Maximum Tilt Range

• 70° (-6° to 64°)

Features

Horse Power (hp)

Engine Details

Engine Make Mercury
Horse Power 75

70

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.